

NO. 71881

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

NEW PRIORITY DATE:

Date of filing in State Engineer's Office NOV 15 2004 ~~DEC 14 2009~~

Returned to applicant for correction _____

Corrected application filed _____

Map filed NOV 15 2004

The applicant **Jeff Sellinger**, hereby makes application for permission to change the **Point of Diversion and Place of Use of a portion** of water heretofore appropriated under **Permit 24582, Certificate 7673**

1. The source of water is **Underground Source**
2. The amount of water to be changed **0.0044 C.F.S., 2 Acre Feet**
3. The water to be used for **Quasi-Municipal Purposes**
4. The water heretofore permitted for **Quasi-Municipal Purposes**
5. The water is to be diverted at the following point **within the Northwest Quarter (NW¼) of the Northeast Quarter (NE¼) of Section 36, T21S, R60E, MDM, or at a point from which the North One-Quarter Corner (N¼) of said Section 36, T21S, R60E, MDM, Bears North 10° 35' 59" west a distance of 1110.4 feet.**
6. The existing permitted point of diversion is located within the **Northwest Quarter (NW¼) of the Northwest Quarter (NW¼) of Section of Section 10, T21S, R61E, MDM, or at a point from which the Northwest Corner of said Section 10, T21S, R61E, MDM, Bears North 15° 40' 00" west a distance of 917.0 feet.**
7. Proposed place of use **lot one of Parcel Maps, File 98, Page 97, being a portion of the SW¼ SW¼ NW¼ NE¼, Section 36, T21S, R60E, MDM APN 163-36-501-029 0.87 acre**
8. Existing place of use **portion of the NE¼ NE¼, Section 9, and a portion of the NW¼ NW¼, Section 10, T21S, R61E, MDM.**
9. Use will be from **January 1st to December 31st** of each year.
10. Use was permitted from **January 1st to December 31st** of each year.
11. Description of proposed works **well is existing**
12. Estimated cost of works **25,000**
13. Estimated time required to construct works **505 feet deep, 8 inch steel casing, 3HP submersible pump, 3HP booster pump, 2500 gallon storage tank, 2 pressure tanks, totalizing meter and appruntenances.**
14. Estimated time required to complete the application of water to beneficial use **3 years**

15. Remarks: water to be used for two single family residences.

By Robert Fulstone Agent
s/ Robert Fulstone
Agent: Fulstone Enterprises, Inc.
940 S. Martin L. King Blvd.
Las Vegas, Nevada 89106

Compared gkl/sc _____ lt/gkl _____

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 24582, Certificate 7673, is issued subject to the terms and conditions imposed in said Permit 24582, Certificate 7673, and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Permit 71881 is granted to provide additional water service to one lot described as Clark County Assessor's Parcel (APN) 163-36-501-029.

(CONTINUED ON PAGE 3)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0044 cubic feet per second, and not to exceed 2.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

June 20, 2007

Proof of completion of work shall be filed on or before:

July 20, 2007

Water must be placed to beneficial use on or before:

June 20, 2009

Proof of the application of water to beneficial use shall be filed on or before:

July 20, 2009

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, Tracy Taylor, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 20th day of June, A.D. 2006

Tracy Taylor, P.E.
State Engineer

Completion of work filed SEP 23 2008

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____

~~CANCELLED SEP 08 2009 BECAUSE OF
FAILURE OF APPLICANT TO COMPLY WITH THE
PROVISIONS OF PERMIT
Tracy Taylor P.E. STATE ENGINEER
Can. Rescinded 6-4-2010~~